# RECEIVED 2021 CERTIFICATION MSDH-WATER SUPPLY Consumer Confidence Report (CCR)

Town of New Houlka PRINT Public Wa	Houlka-Washin	cton Ext.
PRINT Public Wa	oter System Name 0580023	,
List PWS ID #s for all Community V	Vater Systems included in this CC	DR
CCR DISTRIBUTION (C	heck all boxes that apply)	1
INDIRECT DELIVERY METHODS (Attach copy of publication	n, water bill or other)	DATE ISSUED
Advertisement in local paper (Attach copy of advertisement)		6-22-2022
☆ On water bill (Attach copy of bill)		6-28-2022
□ Email message (Email the message to the address below)		
□ Other (Describe:		
DIRECT DELIVERY METHOD (Attach copy of publication, w	vater bill or other)	DATE ISSUED
□ Distributed via U.S. Postal Service		
□ Distributed via E-mail as a URL (Provide direct URL):		
□ Distributed via Email as an attachment		
□ Distributed via Email as text within the body of email mess	age	
□ Published in local newspaper (attach copy of published CCR or	proof of publication)	
□ Posted in public places (attach list of locations or list here)		(ii)
□ Posted online at the following address (Provide direct URL):		
CERTIFI I hereby certify that the Consumer Confidence Report (CCR) has the appropriate distribution method(s) based on population served is correct and consistent with the water quality monitoring data for of Federal Regulations (CFR) Title 40, Part 141.151 – 155.	been prepared and distributed to its custor d. Furthermore, I certify that the information sampling performed and fulfills all CCR re	n contained in the report equirements of the Code
Dav. O Ex Ray	operator Title	6-23-2022
Name /	Title	Date
SUBMISSION OPTIONS	S (Select one method ONLY)	

You must email or mail a copy of the CCR, Certification, and associated proof of delivery method(s) to the MSDH, Bureau of Public Water Supply.

Mail: (U.S. Postal Service) MSDH, Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

Email: water.reports@msdh.ms.gov

#### 2021 Annual Drinking Water Quality Report Town of New Houlka PWS#: 0090003 & 0580023

June 2022

RECEIVED MSDH-WATER SUPPLY

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Eutaw/McShan and Ripley Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Town of New Houlka have received moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact David Ray at 662.542.3180. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of the month at 6:00 PM at 201 Walker Street.

We routinely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2021. In cases where monitoring wasn't required in 2021, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It's important to remember that the presence of these contaminants does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) — The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Level 1 Assessment: A study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

PWS ID#:00	90003		T	EST RESULTS					
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of	of Contamination
Microbiolo	gical Co	ontamin	ants						
1. Total Coliform Bacteria	N	June	Positive	1	NA	0	. b	ence of coliform acteria in 5% of nonthly samples	Naturally present in the environment E Coli comes from human and anima fecal waste
Inorganic Co	ntamina	ants							
8. Arsenic	N	2020*	1.7	No Range	ppb	n/a	10	from orchards;	ral deposits; runoff runoff from glass production wastes
10. Barium	N	2020*	.0362	.03520362	ppm	2	2	Discharge of di discharge from erosion of natu	metal refineries;
13. Chromium	N	2020*	2	1.9 – 2	ppb	100	100		steel and pulp f natural deposits

14. Copper	N	2018/20	.3	0	pp	m	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride**	N	2020*	.172	.118172	pp	m	4	2	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2018/20	)* 2	0	рр	b	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Sodium	N	2021	90.8	90.2 - 90.8	рр	om	2	(	O Road Salt, Water Treatment Chemicals, Water Softeners and Sewage Effluents.
Disinfection	By-Pr	oducts							10 1785
82, TTHM [Total trihalomethanes]	N	2021	1.05	No Range	ppb	0		80	By-product of drinking water chlorination.
Chlorine	N	2021	1.5	.31– 3.07	mg/l	0	MD	RL = 4	Water additive used to control microbes

PWS ID#: 0	580023		TEST 1	RESULTS				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic (	Contamin	ants						
10. Barium	N	2019*	.0166	.01610166	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2018/20*	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2019*	.909	<sub>3</sub> .76 – .909	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2018/20*	1	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Sodium	N	2019*	180000	170000 - 180000	PPB	0	0	Road Salt, Water Treatment Chemicals, Water Softeners and Sewage Effluents
Disinfect	ion By-F	roducts						
Chlorine				7 – 3.28 mg/	1	0 MDI		Water additive used to control microbes

<sup>\*</sup> Most recent sample. No sample required for 2021.

Microbiological Contaminants:

Microbiological Contaminants:

(1) Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially harmful, waterborne pathogens may be present or that a potential pathway exists through which contamination may enter the drinking water distribution system. We found coliform indicating the need to look for potential problems in water treatment or distribution. When this occurs, we are required to conduct assessments (s) to identify problems and to correct any problems that were found during these assessments.

We are required to monitor your drinking water for specific contaminants on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. During June 2021 on system # 0090003, we had one sample that tested positive for total coliform. The resamples were clear. During the past year we were required to conduct and completed 1 (one) Level 1 assessment. In addition, we were required to take and completed 1 (one) corrective action.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1.800,426,4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

The Town of New Houlka works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

### 2021 Annual Drinking Water Quality Report Town of New Houlka PWS#: 0090003 & 0580023 June 2022

White present to provide by yours Armail Charlly Widor Report This report is designed to from you should be specify under any personal designed by the provider and the provider and designed by your provider; and the provider and the efforts of the effor

The service water experiment has been configured by our public water approxim to colorate because their control security water sorted because produced by the public service and the public service service and the public service ser

Byou have any spectrum should be report or concerning place was stilling, bream concern Cayon New at 612-542.5100, we want our valued calculation in the information of their content about their content of the content

We discover mixed by interesting an experiment of the deliver of the control of the same time of the control of the deliver of the control of

In this lights you will find many terms and allabraviations you might not be familiar with. To help you believ understand these terms wo've provided following distributions:

Author Lawer - the promoving of a section leads which it is assumed a higher breakness or other recurrency, which a water system reset follows

About the Community Come (MCV - The Maximum Albert (MC) to the highest layed at a community that is inflored in alreading water. MCC also not no house to MCC a see you to have to make the MCC as the best increased the high production and the MCC as the highest layer to the highest

Algorithm recovery Charles are all the SEED - The Implicat level of a distributed above of individual Wales. There is connecting endown that

Marriage feeting On the at Control (1970). The result is a feet deviational ballon shall have a marriage or expected taken have a result of the control (1970) or the control of the control (1970) or the control of th

Charles and the plant of selections and the limit is not perfect that the property of the plant of a simple printy of \$10,000.

Level 5 Assessment: A shally of the violet system to lowelly potential problems and determine (if posterior party total conform decircle have been found to the water system.

Conteminent	Violation Y/N	Collected	Leven Descried	e of Semples Exceeding MCLIAC	Moururs Insur-	MCCG	MCL.	Laby source o	Name of the last o
Microbiolo	gleal Co	outamin	ants						Naturally powers
1, Total Coliform Beckeris	N	Junis	Pondvo	1	NA			acces of collection actions in 8% of nonthly samples	at the environment of E God comes from further and environment of the comes for an artist of the comes of the
Inorganic C	ontamin	ants	and the same						ral deposits; tured
8. Annelic	54	3020	1.7	No Range	100	**	10	I from orcheros	ment foregine production weekles
10 Barken	N	2010"	.0397.	0352 - 0362	pp/n	2		discharge of di discharge box wasten of rati	HAVE PASTOCIONE
13 Chromium	N	2020*	2	1.9 - 2	ppb	100	100	milk, stopics	Sand and July Practical Departs

Chiston.	36	3021	15	15-3.ff	mgt		*	MOS		Water soditive used to control exceptive
TOTAL	M	2021	1.06	No Plange	790					ETHYPHOUR
Disinfection			-	100000000000000000000000000000000000000		-	4.11	-	80	threspount of athriving water
			1				-		= 12	
Sodum	N	2001	90.5	957 - 90.8		ppo		å	- 0	Poord Suit, Water Treatment Community, Water Bullanery and Service Efficients
17 Laut	N	2018/30"	3	6		Dec.		0	AL+15	Compaign of hotsehold stuming systems, section of natural occounts
is Fluoride**		2020*	172	1.10 - 172		pon)		4		Erruson of report deposits; were additive which promotes strong resth: dephasps from familities and agreement factories
4. Creper	N	2016/20	3	10		977		3	Mens	Communication of natural planning on the employed potential deposits baseling from whole preservations.

PWS ID#: 0	580023		TEST	RESULTS			_	
Surfaminant .	YAN	Date Ordected	Datacind	Range of Detects or # of Semicina Exceeding MGUAC:	Unit Measure count	MGLO	MCE	Lassly Saurce of Contamination
Inorganic C	ostumin	ants	V-1274	1000				CONTRACTOR OF THE PARTY OF THE
10. Burkum		2016	0166	.01610166	pom:			Discharge of delibra wanted doctoring from metal refusions, scusion of external deposits
14 Copper	N	2018/20"	3		ppm	1.5	MM3	Operation of fusionalist planning systems, wrosper of natural deposits; leading from worst streamystering
16 Fluorido	ч	2011	909	76 - 800	pom			Ensure of natural deposits, water adultion which promotes string such manage from fartitum and attances technical
17 Land	N	2018/201	14	F	ppb	9	ALASS	Common of himselved prunting systems, erosion of natural recounts
Sodium	14	1019	186060	170000 -180000	299		0	Road Sen, Worse Treporant Chambride, Yoster Softeness and Severe Effuents

\*Most recent supplie. No sample required for 202)

Number of Communication

If Collection is within the construction promise to be environment and use and no subsect that many promises between, we were a promise to the construction of the collection of the collection

We are required to monthly your officients was the specific purposessent on a secrebly interest of regulat discussing the first and control of the second discussion of the

If present, several levels of final care seeks execute freely exclusive, presenting for projection requires and privacy finitives, Lead of the first several regions of the projection of the pr

As execute of privately extend to be a substantial to prevent on the extender on the less industry country or man make. These extenders no training to the man and the extender of the substantial to the s

## PROOF OF PUBLICATION 27 PM 3: 57

### THE STATE OF MISSISSIPPI COUNTY CHICKASAW

Before the undersigned authority of said county and state, personally appeared before, clerk of a public newspaper published in the City of Houston, County of Chickasaw, State of Mississippi, called the Chickasaw Journal, who, being duly sworn, doth depose and say that the publication of the notice hereto affixed has been made in said paper for days, to-wit:
Vol. 116       No. 35       on the 22 day of
Legal Ad Clerk  Sworn to and subscribed to this the 2 day of 2022 before me, the undersigned
Notary Public of said County of Chickasaw.  Notary Public  ID # 80038  TERESA DOSS NICHOLS
Commission Expires Feb. 5, 2026  Printer's Fee: 282.50

21.00

18.00

60.00

6.00

66.00

SWR

GRB

NET DUE >>> SAVE THIS >>

GROSS DUE >>

RETURN THIS STUB WITH PAYMENT TO: TOWN OF NEW HOULKA WATER DEPT P.O. BOX 416 NEW HOULKA, MS 38850 662-568-2745

PRESORTED
FIRST CLASS MAIL
U S POSTAGE
PAID
PERMIT NO 1
NEW HOULKA MS

PAY NET AMOUNT	DUEDATE	PAY GROSS
ON OR BEFORE DUE DATÉ	07/10/2022	AMOUNT AFTER
NET AMOUNT	SAVE THIS	GROSS AMOUNT
60.00	6.00	66.00

CCR AVAILABLE AT CITY HALL

RETURN SERVICE REQUESTED 010004000

MICKEY DENHAM

206 E FRONT ST N HOULKA MS 38850-7308